

QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Provider Number	Nursing Home Name	Street
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
365714	ST LEONARD HCC	8100 CLYO ROAD
365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
365907	FRANCISCAN CARE CTR SYLVANIA	4111 HOLLAND SYLVANIA RD
366279	ROSARY CARE CENTER	6832 CONVENT BOULEVARD






QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

City	State	ZIP Code	Phone Number
VILLA HILLS	KY	41017	8593413981
CENTERVILLE	OH	45458	9374366340
SANDUSKY	OH	44870	4196272273
TOLEDO	OH	43623	4198826582
SYLVANIA	OH	43560	4198822016






QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents whose need for help with daily activities has increased	Footnote-1
	9.6%
	19.2%
	8.9%
	12.4%
	14.9%






QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who self-report moderate to severe pain	Footnote-2
	7.5%
	17.6%
	16.7%
	19.2%
	10.6%






QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay high-risk residents with pressure ulcers	Footnote-3
	4.8%
	4.5%
	6.2%
	5.3%
	16.3%

QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who lose too much weight	Footnote-4
 8.5%	
 7%	
 9.1%	
 10.9%	
 4%	

QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)




QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-5


QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)



QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)



QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-7	Percent of long-stay residents who have depressive symptoms
	6.7%
	16.9%
	1.9%
	2.7%
	4.1%

QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-8	Percent of long-stay residents who were physically restrained
	1.5%
	0.3%
	0%
	0%
	0.6%

QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-9	Percent of long-stay residents experiencing one or more falls with major injury	
	<div><div></div></div>	1.5%
	<div><div></div></div>	1.6%
	<div><div></div></div>	1.8%
	<div><div></div></div>	1.7%
	<div><div></div></div>	5.6%


QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-10

QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)




QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-11


QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)




QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)



QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)



QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-14

QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents assessed and given, appropriately, the seasonal influenza vaccine




QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-15





QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)




QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-16	Percent of short-stay residents who newly received an antipsychotic medication	
		1.9%
		1.2%
		1.5%
		2%
		0%

QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)



QMS 4

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-18